

PRODUCT SHEET

Slide In Frame

POSTER FRAMES > OTHER POSTER FRAMES



Slide In Frame

Practical and inexpensive solution for doublesided poster display for window or instore promotion. Silver anodised finish with 19/24mm wide profile, central PS back wall and UV - stable anti glare PVC sheets. Ideal for ceiling suspension - Posters insert from the top.


Einschubrahmen

Doppelseitiger Einschubrahmen (von oben) im Hochformat zur Deckenabhängung, mit Antireflexfolie. Die blickdichte Trennplatte ermöglicht die Verwendung von unterschiedlichen Motiven ohne durchzuscheinen. Stabiles 24 mm Profil für Postergrößen ab A2 und größer.

PRODUCT SHEET

Slide In Frame

POSTER FRAMES > OTHER POSTER FRAMES



ACCESSORIES ZUBEHÖR



(HSKR)
HANGING SET
ABHÄNGESET

PRODUCT SHEET

Slide In Frame

POSTER FRAMES > OTHER POSTER FRAMES

ARTICLE CODE	EAN / GTIN	POSTER SIZE	VISIBLE SIZE	SIZE (A x B x C)	NET WEIGHT
ARTIKELCODE	EAN / GTIN	PLAKATFORMAT	SICHTMAß	GRÖßE (A x B x C)	NETTO GEWICHT
SFA4	8595578302912	A4 (210 x 297 mm)	203 x 290 mm	234 x 321 x 16 mm	0,5 kg
SFA3	8595578302929	A3 (297 x 420 mm)	290 x 413 mm	321 x 444 x 16 mm	0,8 kg
SFA2	8595578302936	A2 (420 x 594 mm)	388 x 562 mm	436 x 610 x 20 mm	1,5 kg
SFA1	8595578302943	A1 (594 x 841 mm)	562 x 809 mm	610 x 857 x 20 mm	2,3 kg
SFA0	8595578302950	A0 (841 x 1189 mm)	809 x 1157 mm	857 x 1205 x 20 mm	3,9 kg
SF50x70	8595578302967	500 x 700 mm	468 x 668 mm	516 x 716 x 20 mm	1,9 kg
SF70x100	8595578302974	700 x 1000 mm	668 x 968 mm	716 x 1016 x 20 mm	3,0 kg

ARTICLE CODE	PACKING SIZE	PACKING WEIGHT	PCS / PALLET	WEIGHT OF PALLET	VOLUMETRIC WEIGHT	BELT SIZE	SHIPPING
ARTIKELCODE	VERPACKUNGS- GRÖßE	VERSAND- GEWICHT	STOCK / PALETTE	PALETTEN- GEWICHT	VOLUMEN- GEWICHT	GURTMAB	VERSANDART
SFA4	265 x 352 x 30 mm	0,7 kg	384	283 kg	0,56 kg	942 mm	UPS
SFA3	352 x 475 x 30 mm	1,0 kg	248	278 kg	1,00 kg	1242 mm	UPS
SFA2	468 x 645 x 28 mm	1,8 kg	144	279 kg	1,69 kg	1637 mm	UPS
SFA1	648 x 894 x 28 mm	3,1 kg	84	283 kg	3,24 kg	2246 mm	UPS
SFA0	890 x 1240 x 28 mm	5,6 kg	26	170 kg	6,18 kg	3076 mm	TOF
SF50x70	553 x 753 x 30 mm	2,4 kg	95	254 kg	2,50 kg	1919 mm	UPS
SF70x100	753 x 1053 x 35 mm	4,0 kg	52	233 kg	5,55 kg	2629 mm	TOF