



PRODUCT SHEET

Lockable Notice Board XS B1

LOCKABLE NOTICE BOARDS > INDOOR MAGNETIC



Lockable Notice Board XS B1 Fire rated

Economy notice board for indoor use. Perfect to display statutory information. Manufactured with a coated steel back wall for use with marker pens and magnets. With a silver anodised aluminium frame with grey plastic safety corners to minimize the risk of injury.


Schaukasten XS Brandschutzklasse B1

Ultraflacher Schaukasten mit Brandschutzklasse B1 (DIN 4102) mit Frontscheibe aus Polycarbonat, 12 mm tief. Mit abgerundeten Spritzguss-Ecken und hochwertiger Stahloberfläche.

PRODUCT SHEET

Lockable Notice Board XS B1

LOCKABLE NOTICE BOARDS > INDOOR MAGNETIC



ACCESSORIES ZUBEHÖR



(MAGNETS)
MAGNETS
MAGNETE



(SETFIXWB)
MARKER PENS
WHITEBOARDMARKER-SET



(WBERASER)
ERASER
WHITEBOARDSCHWAMM



(WBCLEANER)
SPRAY CLEANER
WHITEBOARDREINIGER

(STARTERKIT)
STARTERKIT
STARTERSET

PRODUCT SHEET

Lockable Notice Board XS B1

 LOCKABLE NOTICE BOARDS > INDOOR MAGNETIC

ARTICLE CODE	EAN / GTIN	CAPACITY	LOCKS	VISIBLE SIZE	SIZE (A x B x C)	NET WEIGHT
ARTIKELCODE	EAN / GTIN	KAPAZITÄT	SCHLÖSSER	SICHTMAß	GRÖßE (A x B x C)	NETTO GEWICHT
SCXS1xA4B1	8595578357592	1 x 1 A4	1	220 x 310 mm	271 x 350 x 26 mm	1,00 kg
SCXS2xA4B1	8595578357608	1 x 2 A4	1	440 x 310 mm	491 x 350 x 26 mm	1,63 kg
SCXS3xA4B1	8595578357615	1 x 3 A4	1	660 x 310 mm	711 x 350 x 26 mm	2,24 kg
SCXS4xA4B1	8595578357622	2 x 2 A4	1	440 x 615 mm	491 x 655 x 26 mm	2,84 kg
SCXS6xA4B1	8595578357639	2 x 3 A4	1	660 x 615 mm	711 x 655 x 26 mm	3,94 kg
SCXS8xA4B1	8595578357646	2 x 4 A4	1	880 x 615 mm	931 x 655 x 26 mm	5,03 kg
SCXS9xA4B1	8595578357653	3 x 3 A4	2	660 x 923 mm	711 x 963 x 26 mm	5,69 kg
SCXS12xA4B1	8595578357660	3 x 4 A4	2	880 x 923 mm	931 x 963 x 26 mm	7,29 kg

ARTICLE CODE	PACKING SIZE	PACKING WEIGHT	PCS / PALLET	WEIGHT OF PALLET	VOLUMETRIC WEIGHT	BELT SIZE	SHIPPING
ARTIKELCODE	VERPACKUNGS- GRÖßE	VERSAND- GEWICHT	STCK / PALETTE	PALETTEN- GEWICHT	VOLUMEN- GEWICHT	GURTMAß	VERSANDART
SCXS1xA4B1	348 x 428 x 78 mm	1,28 kg	150	212 kg	1,27 kg	1100 mm	UPS
SCXS2xA4B1	568 x 428 x 78 mm	2,04 kg	80	184 kg	2,18 kg	1393 mm	UPS
SCXS3xA4B1	792 x 432 x 82 mm	3,05 kg	60	203 kg	3,08 kg	1606 mm	UPS
SCXS4xA4B1	572 x 737 x 82 mm	3,81 kg	50	211 kg	3,90 kg	1830 mm	UPS
SCXS6xA4B1	792 x 737 x 82 mm	5,21 kg	34	198 kg	5,56 kg	2218 mm	UPS
SCXS8xA4B1	1012 x 737 x 82 mm	6,5 kg	28	202 kg	7,21 kg	2438 mm	TOF
SCXS9xA4B1	1047 x 792 x 82 mm	7,23 kg	24	194 kg	8,02 kg	2575 mm	TOF
SCXS12xA4B1	1047 x 1012 x 82 mm	9,18 kg	18	186 kg	10,43 kg	3018 mm	TOF